

SDS COMPLETED 2ND SEPTEMBER 2015

VERSION 01 REVISION NUMBER: N/A

		REVISION NOWIDER. NY A
1.	Identification of the	e Substance and the Company
1.1.	Product identifier	
Prod	uct name	Symbio 5-2-10+2Mg 50% organic with mycorrhizae and soil microbes
Prod	uct number	
REAC	CH registration notes	Exempt from REACH registration according to Regulation (EC) No. 1907/2006 (REACH)
1.2.	Relevant identified us	ses of the substance or mixture and uses advised against
Ident	tified uses	Fertiliser containing beneficial mycorrhizae, fungi and bacteria
1.3.	Details of the supplier of the safety data sheet	
Comp	any name:	
Eco So	olutions (C&R) Ltd T/a Sy	<i>y</i> mbio
Unit 8		
-		

Unit 8 Coopers Place Combe Lane Wormley Surrey GU8 5SZ Tel: +44 (0) 1428 685762 Fax: +44 (0)1428 685702 Email: info@symbio.co.uk

1.4 Emergency Telephone No. :

Emergency telephone

+44 (0) 1428 685762

2. Hazards Identification

2.1. Classification of the substance or mixture Classification		
Physical hazards	Not Classified	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	

2.2. Label elements



Signal word	Warning
Hazard statements	H319 Causes serious eye irritation.
Precautionary statements	P264 Wash contaminated skin thoroughly after handling.
	P280 Wear protective gloves/protective clothing/eye protection/face protection.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

The bacteria and fungi in this mixture are considered to belong to hazard group 1 as defined by the Advisory Committee on Dangerous Pathogens (ACDP) as "a biological agent unlikely to cause human disease". It should NOT be assumed. However, that these organisms will be innocuous in all situations or that infections can never occur. The mixture should therefore not be used by, or in the presence of immunocompromised persons.



SDS COMPLETED 2ND SEPTEMBER 2015

VERSION 01 REVISION NUMBER: N/A

Category 3 Material. Not for human consumption. Organic fertilisers or soil improvers: No grazing of farmed animals or use of crops as herbage during at least 21 days following application, in the case of pigs during at least 2 months following application.

3. Composition/Information on Ingredients

3.2. Mixtures

SSP Single Superphosphate	•		10-30%
CAS number: 8011-76-5	EC number: 232-379-5	REACH registration number: 01-2119488967-11-XXXX	
Classification Eye Irrit. 2 - H319		Classification (67/548/EEC or 1999/45/EC) Xi; R41	
TSP Triple Superphosphate			1-3%
CAS number: 65996-95-4	EC number: 266-030-3	REACH registration number: 01-2119493057-33-XXXX	
Classification Eye Dam. 1 - H318		Classification (67/548/EEC or 1999/45/EC) Xi; R41	
Ferrous Sulphate 18% CAS number: 7720- 78-7	EC number: 231- 753-5	1-2. REACH registration number: 01-2119513203-57-XXX	
Classification		Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		Xn; R22. Xi; R36/38	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

4. First Aid Measures

Inhalation	Get medical attention if symptoms are severe or persist.
Ingestion	Get medical attention if symptoms are severe or persist.
Skin contact	Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to
	do. Continue rinsing. Continue to rinse for at least 10 minutes. Get medical attention if
	symptoms are severe or persist after washing.
	symptoms are severe or persist after washing.
4.2. Most importan	t symptoms and effects, both acute and delayed
4.2. Most importan Inhalation	
	t symptoms and effects, both acute and delayed
Inhalation	t symptoms and effects, both acute and delayed Dust in high concentrations may irritate the respiratory system.
Inhalation Ingestion	t symptoms and effects, both acute and delayed Dust in high concentrations may irritate the respiratory system. No harmful effects expected from quantities likely to be ingested by accident.

Notes for the doctor

Treat symptomatically.



SDS COMPLETED 2ND SEPTEMBER 2015

VERSION 01 REVISION NUMBER: N/A

5. **Fire-Fighting Measures** 5.1. **Extinguishing media** Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Not applicable. 5.2. Special hazards arising from the substance or mixture Specific hazards None known. 5.3. Advice for firefighters Protective actions during firefighting No specific firefighting precautions known. Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials. 6. **Accidental Release Measures** 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Avoid inhalation of dust and contact with skin and eyes. Use suitable respiratory protection if ventilation is inadequate. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Take care as floors and other surfaces may become slippery. 6.2. **Environmental precautions Environmental precautions** The product is slowly degradable. The product is not expected to be hazardous to the environment. Avoid the spillage or runoff entering drains, sewers or watercourses. 6.3. Methods and material for containment and cleaning up Methods for cleaning up Take care as floors and other surfaces may become slippery. Collect and dispose of spillage as indicated in Section 13. 6.4. **Reference to other sections** Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13. 7. Handling and Storage 7.1. Precautions for safe handling Read label before use. Wear appropriate clothing to prevent repeated or prolonged skin Usage precautions contact. Avoid inhalation of dust and contact with skin and eyes. Advice on general occupational hygiene Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. 7.2. Conditions for safe storage, including any incompatibilities Storage precautions Store in a dry place. 7.3. Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1.2.



SDS COMPLETED 2ND SEPTEMBER 2015

VERSION 01 REVISION NUMBER: N/A

8. Exposure controls/ Personal protection

Ammonium Sulphate Long-term exposure limit (8-hour TWA): LTEL 10 mg/m ³ Ferrous Sulphate 18% Long-term exposure limit (8-hour TWA): WEL 1 mg/m3 Short-term exposure limit (15-minute): WEL 2 mg/m3 Sand (L) Long-term exposure limit (8-hour TWA): Silica Dust (respirable) WEL 0.1 mg/m ³ Dolomite Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust . WEL mg/m ³ respirable dust Urea Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust as Mg: WEL 4 mg/m ³ fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 292 mg/m ³ Workers - Inhalation; Long term systemic effects: 292 mg/m ³ Workers - Inhalation; Short term systemic effects: 292 mg/m ³ PNEC - Fresh water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 1.1 mg/m ³ General population - Oral; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 1.1.4 mg/kg/day FNEC - Fresh water; 0.17 mg/m ³ - Intermittent release; 1.7 mg/l - Marine water; 0.17 mg/m ³ - Intermittent release; 1.7 mg/l - STP; 10 mg/l	8.1. Control parame	ters Occupational exposure limits
Ferrous Sulphate 18% Long-term exposure limit (8-hour TWA): WEL 1 mg/m3 Short-term exposure limit (15-minute): WEL 2 mg/m3 Sand (L) Long-term exposure limit (8-hour TWA): Silica Dust (respirable) WEL 0.1 mg/m3 Dolomite Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m3 respirable dust Urea Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust : WEL mg/m3 respirable dust Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust as Mg: WEL 4 mg/m3 fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 PNEC - Fresh water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-55) DNEL DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m3 General population - Inhalation; Long term systemic effects: 0.9 mg/m3 General population - Oral; Long term systemic effects: 0.9 mg/m3 General population - Inhalation; Long term systemic effects: 0.9 mg/m3 General population - Oral; Long term systemic effects: 0.9 mg/m3	Ammonium Sulphate	
Long-term exposure limit (8-hour TWA): WEL 1 mg/m3 Short-term exposure limit (15-minute): WEL 2 mg/m3 Sand (L) Long-term exposure limit (8-hour TWA): Silica Dust (respirable) WEL 0.1 mg/m3 Dolomite Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust : WEL mg/m3 respirable dust Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust : WEL mg/m3 respirable dust Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust as Mg: WEL 4 mg/m3 fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Inhalation; Soft term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 3.1 mg/m3 Workers - Inhalation; Long term systemic effects: 1.1 mg/m3 General population - Oral; Long term systemic effects: 1.1 mg/kg/day General population - Oral; Long term systemic effects: 1.1 mg/kg/day General population - Oral; Long term systemic effects: 1.1 mg/kg/day General population - Oral; Long term systemic effects: 1.1 mg/kg/day General population - Oral; Long term systemic effects: 1.1 mg/kg/day General population - Oral; Long term systemic effects: 1.1 mg/kg/day General population - Oral; Long term systemic effects: 1.0 4 mg/kg/day General population - Dermal; Long term systemic effects: 1.0 4 mg/kg/day FNEC Fresh water; 0.17 mg/l - Marine water; 0.17 mg/l - Intermittent release; 17 mg/l - Intermi	Long-term exposure lim	nit (8-hour TWA): LTEL 10 mg/m ³
Sand (L) Long-term exposure limit (8-hour TWA): Silica Dust (respirable) WEL 0.1 mg/m ³ Dolomite Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/mi respirable dust Urea Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust : WEL mg/m ³ respirable dust Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust as Mg: WEL 4 mg/m ³ fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 292 mg/m ³ Workers - Inhalation; Long term systemic effects: 292 mg/m ³ Workers - Inhalation; Short term systemic effects: 292 mg/m ³ PNEC - Fresh water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m ³ Workers - Inhalation; Long term systemic effects: 1.1 mg/m ³ Workers - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 1.1 mg/m ³ General population - Oral; Long term systemic effects: 1.0 mg/kg/day General population - Oral; Long term systemic effects: 1.0 mg/m ³ General population - Dermal; Long term systemic effects: 1.0 mg/m ³ General population - Dermal; Long term systemic effects: 1.0 mg/m ³ General population - Dermal; Long term systemic effects: 1.0 mg/m ³ General population - Dermal; Long term systemic effects: 1.0 mg/m ³ General population - Dermal; Long term systemic effects: 1.0 mg/m ³ General population - Dermal; Long term systemic effects: 1.0 mg/kg/day General population - Dermal; Long term systemic effects: 1.0 mg/kg/day General population - Dermal; Long term systemic effects: 1.0 mg/kg/day General population - Dermal; Long term systemic effects: 1.0 mg/kg/day i hutermittent release; 1.7 mg/l - Marine water; 0.17 mg/l	Ferrous Sulphate 18%	
Long-term exposure limit (8-hour TWA): Silica Dust (respirable) WEL 0.1 mg/m ³ Dolomite Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m respirable dust Urea Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust : WEL mg/m ³ respirable dust Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust as Mg: WEL 4 mg/m ³ fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 292 mg/m ³ Workers - Inhalation; Long term systemic effects: 292 mg/m ³ PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 0.17 mg/l - Marine water; 0.17 mg/l - Marine water; 0.17 mg/l - Marine water; 0.17 mg/l	Long-term exposure lim	nit (8-hour TWA): WEL 1 mg/m3 Short-term exposure limit (15-minute): WEL 2 mg/m3
Dolomite Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/mi respirable dust Urea Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust : WEL mg/m3 respirable dust Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust as Mg: WEL 4 mg/m3 fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m3 General population - Orani; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 0.17 mg/l - Marine water; 0.17 mg/l	Sand (L)	
Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m3 respirable dust Urea Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust : WEL mg/m3 respirable dust Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust as Mg: WEL 4 mg/m3 fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Inhalation; Short term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 3.1 mg/m3 PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m3 General population - Inhalation; Long term systemic effects: 0.9 mg/m3 General population - Dermal; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 0.17 mg/l - Marine water; 0.17 mg/l - Marine water; 0.17 mg/l	•	nit (8-hour TWA): Silica Dust (respirable) WEL 0.1 mg/m ³
respirable dust Urea Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust : WEL mg/m3 respirable dust Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust as Mg: WEL 4 mg/m3 fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Inhalation; Short term systemic effects: 292 mg/m3 Workers - Inhalation; Short term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Dueta SSP Single Superphosphate (CS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 1.1 mg/m3 General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 1.0.4 mg/kg/day FNEC - Fresh water; 0.17 mg/m3 - Marine water; 0.17 mg/m3 - Intermittent release; 17 mg/l		
Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust : WEL mg/m3 respirable dust Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m3 inhalable dust as Mg: WEL 4 mg/m3 fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Inhalation; Short term systemic effects: 292 mg/m3 Workers - Inhalation; Short term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Inhalation; Long term systemic effects: 292 mg/m3 Workers - Dermal; Long term systemic effects: 202 mg/m3 Workers - Dermal; Long term systemic effects: 3.1 mg/m3 Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m3 General population - Oral; Long term systemic effects: 0.9 mg/m3 General population - Dermal; Long term systemic effects: 10.4 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m3 - Intermittent release; 17 mg/l	respirable dust	nit (8-hour TWA): WEL 10 mg/m3 inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m ³
Calmag Magnesium Oxide Long-term exposure limit (8-hour TWA): WEL 10 mg/m ³ inhalable dust as Mg: WEL 4 mg/m ³ fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 580 mg/kg/day Workers - Inhalation; Long term systemic effects: 292 mg/m ³ Workers - Inhalation; Short term systemic effects: 292 mg/m ³ PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 1.1 mg/m ³ Workers - Dermal; Long term systemic effects: 1.1 mg/m ³ General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 0.17 mg/l - Marine water; 0.17 mg/n ³ - Intermittent release; 17 mg/l		it (0 hour TMA), MEL 40 models in helphile duct (MEL models), and include
Long-term exposure limit (8-hour TWA): WEL 10 mg/m ³ inhalable dust as Mg: WEL 4 mg/m ³ fume and respirable dust as Mg WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 580 Workers - Inhalation; Long term systemic effects: 292 mg/m ³ Workers - Inhalation; Short term systemic effects: 292 mg/m ³ PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m ³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 10.4 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day FNEC - Fresh water; 0.17 mg/l - Marine water; 0.17 mg/n ³ - Intermittent release; 17 mg/l		
WEL = Workplace Exposure Limit Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 580 mg/kg/day Workers - Inhalation; Long term systemic effects: 292 mg/m³ Workers - Inhalation; Short term systemic effects: 292 mg/m³ PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Inhalation; Long term systemic effects: 10.4 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m³ - Intermittent release; 17 mg/l	0 0	
Potash (CAS: 7447-40-7) DNEL Workers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 580 mg/kg/day Workers - Inhalation; Long term systemic effects: 292 mg/m³ Workers - Inhalation; Short term systemic effects: 292 mg/m³ PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) Workers - Inhalation; Long term systemic effects: 3.1 mg/m³ DNEL Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 2.1 mg/kg/day General population - Oral; Long term systemic effects: 2.1 mg/kg/day PNEC - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m³ - Marine water; 0.17 mg/n³ - Intermittent release; 17 mg/l - Marine water; 0.17 mg/n³		
DNELWorkers - Dermal; Long term systemic effects: 580 mg/kg/day Workers - Dermal; short term systemic effects: 580 mg/kg/day Workers - Inhalation; Long term systemic effects: 292 mg/m³ Workers - Inhalation; Short term systemic effects: 292 mg/m³ PNECPNEC- Fresh water; 0.047 mg/l - Marine water; 0.047 mg/lSSP Single Superphosphate (CAS: 8011-76-5) DNELWorkers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 1.1 mg/kg/day General population - Dermal; Long term systemic effects: 1.1 mg/kg/day General population - Dermal; Long term systemic effects: 1.1 mg/kg/day General population - Dral; Long term systemic effects: 1.1 mg/kg/day General population - Dral; Long term systemic effects: 1.1 mg/kg/day General population - Dral; Long term systemic effects: 1.1 mg/kg/day General population - Dermal; Long term systemic effects: 1.1 mg/kg/day General population - De	wel = workplace expos	
mg/kg/day Workers - Dermal; short term systemic effects: 580 mg/kg/day Workers - Inhalation; Long term systemic effects: 292 mg/m ³ Workers - Inhalation; Short term systemic effects: 292 mg/m ³ PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m ³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 0.17 mg/l - Marine water; 0.17 mg/m ³ - Intermittent release; 17 mg/l	Potash (CAS: 7447-40-7	7)
580 mg/kg/day Workers - Inhalation; Long term systemic effects: 292 mg/m³ Workers - Inhalation; Short term systemic effects: 292 mg/m³ PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Oral; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m³ - Marine water; 0.17 mg/m³ - Intermittent release; 17 mg/l - Marine water; 0.17 mg/m³	DNEL	Workers - Dermal; Long term systemic effects: 580
Workers - Inhalation; Long term systemic effects: 292 mg/m³ Workers - Inhalation; Short term systemic effects: 292 mg/m³PNEC- Fresh water; 0.047 mg/l - Marine water; 0.047 mg/lSSP Single Superphosphate (CAS: 8011-76-5) DNELWorkers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 10.4 mg/kg/dayPNEC- Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m³ - Intermittent release; 17 mg/l		mg/kg/day Workers - Dermal; short term systemic effects:
Workers - Inhalation; Short term systemic effects: 292 mg/m³PNEC- Fresh water; 0.047 mg/l - Marine water; 0.047 mg/lSSP Single Superphosphate (CAS: 8011-76-5)DNELWorkers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/dayPNEC- Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m³ - Intermittent release; 17 mg/l		580 mg/kg/day
PNEC - Fresh water; 0.047 mg/l - Marine water; 0.047 mg/l SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Oral; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m³ - Intermittent release; 17 mg/l		Workers - Inhalation; Long term systemic effects: 292 mg/m ³
- Marine water; 0.047 mg/l <u>SSP Single Superphosphate (CAS: 8011-76-5)</u> DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m ³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m ³ - Intermittent release; 17 mg/l		
SSP Single Superphosphate (CAS: 8011-76-5) DNEL Workers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Oral; Long term systemic effects: 10.4 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day PNEC - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m³ - Intermittent release; 17 mg/l	PNEC	- Fresh water; 0.047 mg/l
DNELWorkers - Inhalation; Long term systemic effects: 3.1 mg/m³ Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/dayPNEC- Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m³ - Intermittent release; 17 mg/l		- Marine water; 0.047 mg/l
 Workers - Dermal; Long term systemic effects: 17.4 mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day PNEC Fresh water; 1.7 mg/l Marine water; 0.17 mg/m³ Intermittent release; 17 mg/l 	SSP Single Superphospl	hate (CAS: 8011-76-5)
mg/kg/day General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m ³ - Intermittent release; 17 mg/l	DNEL	Workers - Inhalation; Long term systemic effects: 3.1 mg/m ³
General population - Inhalation; Long term systemic effects: 0.9 mg/m ³ General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m ³ - Intermittent release; 17 mg/l		Workers - Dermal; Long term systemic effects: 17.4
General population - Oral; Long term systemic effects: 2.1 mg/kg/day General population - Dermal; Long term systemic effects: 10.4 mg/kg/day - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m ³ - Intermittent release; 17 mg/l		
General population - Dermal; Long term systemic effects: 10.4 mg/kg/dayPNEC- Fresh water; 1.7 mg/l- Marine water; 0.17 mg/m³- Intermittent release; 17 mg/l		
PNEC - Fresh water; 1.7 mg/l - Marine water; 0.17 mg/m ³ - Intermittent release; 17 mg/l		
- Marine water; 0.17 mg/m ³ - Intermittent release; 17 mg/l		
- Intermittent release; 17 mg/l	PNEC	- Fresh water; 1.7 mg/l
-		- Marine water; 0.17 mg/m³
- STP; 10 mg/l		- Intermittent release; 17 mg/l
		- STP; 10 mg/l

8.2. Exposure controls

Protective equipment





Appropriate engineering controls All handling should only take place in well-ventilated areas.Eye/face protectionWear eye protection.Hand protectionWear protective gloves.Other skin and body protectionWear appropriate clothing to prevent repeated or prolonged skin contact.Hygiene measuresWash hands thoroughly after handling. Do not eat, drink or smoke when using thisproduct.No specific recommendations.



SDS COMPLETED 2ND SEPTEMBER 2015

VERSION 01 REVISION NUMBER: N/A

9. Physical and Chemical properties

9.1. Information on basic ph	ysical and chemical properties
Appearance	Granules.
Colour	Beige. to Dark brown. or Black.
Odour	Mild.
Odour threshold	Not determined.
рН	Slightly Acidic
Melting point	Not relevant.
Initial boiling point and range	Not relevant.
Flash point	Not relevant.
Evaporation rate	Not relevant.
Flammability (solid, gas)	The product is not flammable.
Vapour pressure	Not relevant.
Vapour density	Not relevant.
Relative density	Not relevant.
Solubility(ies)	Not known.
Partition coefficient	Not known.
Auto-ignition temperature	Not relevant.
Decomposition Temperature	Not relevant.
Viscosity	Not relevant.
Explosive properties	Not relevant.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information

No information required.

10. Stability and Reactivity

10.1. Reactivity

No test data specifically related to reactivity available for this product or its ingredients.

10.2. Chemical stability

Stability

Stable when stored in a dry place.

10.3. Possibility of hazardous reactions

No potentially hazardous reactions known.

10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid

None known.

10.6. Hazardous decomposition products

None known.



SDS COMPLETED 2ND SEPTEMBER 2015

VERSION 01 REVISION NUMBER: N/A

11. Toxicological information

11.1. Information on toxicological effects Acute toxicity - oral				
Notes (oral LD50)	No specific test data are available.			
<u>Acute toxicity - dermal</u>				
Notes (dermal LD50) No specific test data are available.				
Acute toxicity - inhalation				
Notes (inhalation LC50)	No specific test data are available.			
Serious eye damage/irritation				
Irritation of eyes is assumed. In-vitro testing conducted on products with SSP Content <62%, 2015, Result: Reduced classification to Eye Irritant from Eye Damage.				
Respiratory sensitisation	Lye Damage.			
No specific test data are available	۵			
Skin sensitisation				
Not determined.				
Germ cell mutagenicity				
Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.			
Carcinogenicity	היש שמשלמות המשוות באתבורב טו וותנמצבוות פוטפרוובא.			
No specific test data are available	Δ			
Reproductive toxicity				
Reproductive toxicity – fertility	Does not contain any substances known to be toxic to reproduction.			
<u>Specific target organ toxicity - sin</u>				
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.			
Specific target organ toxicity - rep				
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.			
Aspiration hazard				
	piration hazard, based on chemical structure.			
Eye contact				
	a low hazard under normal conditions of use. May cause eye irritation.			
12. Ecological information				
	The product is not concerted to be train to concette concertance.			
Ecotoxicity	The product is not expected to be toxic to aquatic organisms.			
12.1. Toxicity				
12.2. Persistence and degradal	•			
Persistence and degradability	The product is slowly degradable.			
12.3. Bioaccumulative potentia	al			
Partition coefficient	Not known.			
12.4. Mobility in soil				
Mobility	No data available.			
12.5. Results of PBT and vPvB assessment				
This product does not contain any substances classified as PBT or vPvB.				
12.6. Other adverse effects				
Not relevant.				



SDS COMPLETED 2ND SEPTEMBER 2015

VERSION 01 REVISION NUMBER: N/A

13.	Disposal considera	itions
13.1.	Waste treatment me	ethods
Gen	eral information	Dispose of waste to licensed waste disposal site in accordance with the requirements of
		the local Waste Disposal Authority.
Disp	oosal methods	Reuse or recycle products wherever possible. No specific disposal method required.
14.	Transport informa	tion
Gene	•	The product is not covered by international regulations on the transport of dangerous
		goods (IMDG, IATA, ADR/RID).
14.1.	UN number	
14.1.	Not applicable.	
14.2.	UN proper shipping	name
	Not applicable.	
14.3.	Transport hazard cla	
	No transport warning s	sign required.
14.4.	Packing group	
	Not applicable.	
14.5.	Environmental haza	rds
Env	ironmentally hazardous	substance/marine pollutant No.
14.6.	Special precautions	for user
	Not applicable.	
14.7.	Transport in bulk acc	cording to Annex II of MARPOL73/78 and the IBC Code
	Not applicable.	· · · · ·
15.	Regulatory inform	ation
15.1.	-	nvironmental regulations/legislation specific for the substance or mixture
	legislation	
-		008 of the European Parliament and of the Council of 16 December 2008 on classification,
iabe	ening and packaging of s	ubstances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

15.2. Chemical safety assessment

(REACH) (as amended).

No chemical safety assessment has been carried out.



SDS COMPLETED 2ND SEPTEMBER 2015

VERSION 01 REVISION NUMBER: N/A

16. Other information

Hazard statements in full

H319 Causes serious eye irritation.

Disclaimer

The information in this SDS was obtained from sources which we believe to be reliable. Symbio provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate handling of the product by properly trained and qualified personnel. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Symbio makes no warranties or guarantees either express or implied with respect to the information contained herein. The conditions or methods of handling, storage, use or disposal of the product are beyond our control, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.