

SYMBIO GRANULAR CHALK

SDS COMPLETED 20TH NOVEMBER 2015

VERSION 01 REVISION NUMBER: N/A

1. Identification of the Substance and the Company

1.1. Product identifier

Granular Chalk, Calcium Carbonate

1.2 Relevant uses of the substance or mixture and uses advised against:

Fertiliser.

1.3	Details of the supplier of the safety data sheet

Company name: Origin Amenity Solutions Ltd 1-3 Freeman Court, Jarman Way, Orchard Road, Royston, Hertfordshire, SG8 5HW Tel: 0800 138 7222 Email: sales.symbio@originamenity.com

1.4 Emergency Telephone No.:

Emergency phone No.080National emergency telephone number111

0800 138 7222 (09.00 – 17.00 GMT Monday – Friday)

2. Hazards Identification

2.1. Classification of the substance or mixture Classification

The products contain no substances classified as being hazardous to health according to EC directive 1999/45/EC. This substance is not classified as PBT or vPvB according to current EU criteria.

3. Composition/Information on Ingredients

3.1 Chemical composition

Granular chalk/Limestone: Calcium Carbonate $CaCO_3 > 98\%$. Product is obtained from natural minerals; purity level may vary according to their origins. The material may contain trace quantities of other minerals, metal salts, halides.

3.1.1 Limestone Composition

SubstanceCalcium Carbonate CaCO3Trivial NameGranular chalk, LimestoneCAS Number1317-65-3EINECS Number215-279-6

3.2 Hazardous components

The products contain no components classified as dangerous according to EC directive 1999/45/EC.



SYMBIO GRANULAR CHALK

SDS COMPLETED 20TH NOVEMBER 2015

VERSION 01 REVISION NUMBER: N/A

4. **First Aid Measures** 4.1. **Description of first aid measures** Inhalation Remove from exposure into fresh air. Dust in throat and nasal passages should clear spontaneously. In case of serious exposure seek medical advice. Eye contact Do not rub eyes. Remove any contact lenses and open the eyelid(s) widely to flush eye(s) immediately by thoroughly rinsing with clean water. In case of irritation seek medical advice. Skin contact Wash skin with plenty of soap and water. Ingestion Wash out mouth with clean water. In case of discomfort, seek medical advice. 4.2. Most important symptoms and effects, both acute and delayed Not available 4.3 Indication of immediate medical attention and special treatment needed: Not available. 5. **Fire-Fighting Measures** 5.1. Extinguishing media Carbon dioxide, dry powder, foam, or water. 5.2. Special hazards arising from the substance or mixture Hazardous combustion products Above 825°C Carbon dioxide (CO₂) evolution. 5.3 Advice for Fire-fighters

No need for specialist protective equipment for fire fighters.

6. Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described under Heading 8 and follow the advice for safe handling and use given under Heading 7. Emergency procedures are not required.

6.2 Environment protection measures

No special precautions required but avoid whenever possible washing Limestone powders down sewage and drainage systems or into water bodies (e.g. streams).

6.3 Methods for cleaning up

Recover the spillage in a dry state if possible. Try to minimise airborne dispersion. Sweep and shovel material into suitable containers for disposal before disposal as described under Heading 13.

7. Handling and Storage

7.1. Precautions for safe handling

Normal precautions for the handling of chemicals should be observed.

7.2 Storage

Store in a dry, well ventilated area. Keep containers tightly closed. Do not store near acids. Bagged product should be stacked in a stable manner.



SYMBIO GRANULAR CHALK

SDS COMPLETED 20TH NOVEMBER 2015

VERSION 01 REVISION NUMBER: N/A

8.	. Exposure controls/ Personal protection		
8.1.	Control parameters Oc	cupational exposure limits	
Workp	Workplace exposure Limits (WEL). 8hr Time Weighted Average (TWA) values:		
Dust, t	otal inhalable	10mg/m ³	
Dust respirable		4mg/m ³	
8.2	Exposure controls		
8.2.1	Occupational exposure	controls	
(a) Res	piratory protection:	Dust masks should be used when handling powder or granular material. Suitable respiratory protection should be worn to ensure that personal exposure is less than the WEL.	
(b) Har	nd protection:	The use of gloves is recommended for handling aggregates, granules and powders.	
(c) Eye	protection:	Protection is recommended. Wear approved glasses or safety goggles according to EN 166 to prevent contact with eyes.	
(d) Skiı	n protection:	Long-sleeved protective clothing is recommended when working with powders and granules.	

9. Physical and Chemical properties

9.1. Information on basic physical and chemical properties		
Physical form	Powder/granules/chippings	
Colour	Grey white/white	
Odour	None	
pH (saturated solution)	8.5 – 9.5	
Boiling Range/Point	Not applicable	
Melting Point	1339°C	
Decomposition Temperature	above 825°C	
Flash Point (PMCC)	Not applicable	
Auto-flammability	Not auto-flammable	
Flammability	Non-flammable	
Explosive Properties	Stable under normal conditions	
Vapour Pressure	Negligible vapour pressure at ambient conditions	
Relative Density	2.6 – 2.8 g/cm ³	
Solubility in Water	0.014 g/l (20 °C), 0.018 g/l (75 °C)	

10. Stability and Reactivity

10.1. Reactivity

No specific recommendations.

10.2 Materials to avoid

Acids. Reacts to form Carbon dioxide (CO₂).

10.3 Hazardous Decomposition Products

Carbon Dioxide (CO₂) – oxygen displacement



SYMBIO GRANULAR CHALK

SDS COMPLETED 20TH NOVEMBER 2015

VERSION 01 REVISION NUMBER: N/A

11. Toxicological	. Toxicological information	
Acute Toxicity	LD50/oral/rat = >5000mg/kg.	
	Not classified as harmful if swallowed	
Local Effects	Mild irritation of eyes	
Chronic Toxicity carcinogenic mutagenic No known effects		

12. Ecological information

12.1. Toxicity

Limestone is a natural soil mineral of the earth and in a dissolved state, the substance is a natural and indispensable component of natural waters. Therefore, unfavourable effects to the environment may be excluded.

Concentrated suspensions of limestone in natural waters may have an unfavourable effect on water organisms (disturbance of the microflora and fauna in the sediment and the subsequent existence of higher water organisms).

12.2 Mobility

Limestone is not volatile but might become airborne during handling operations.

12.3 Persistence and degradability

Calcium carbonate cannot biodegrade.

12.4 Bioaccumulative potential/Results of PBT assessment/Other adverse effects

No data currently available.

13. Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with all applicable local and national regulations.

13.2 Packaging

Dispose of in accordance with all applicable local and national regulations.

14. Transport information	
Clasification	Not classified as hazardous for Transport
Road (ADR)	Not restricted
Rail (RID)	Not restricted
Sea (IMDG)	Not restricted
Air (ICO/IATA)	Not restricted

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Health and Safety at Work etc Act 1974 HSE Guidance Note EH40 (Workplace Exposure Limits) COSHH regulations 2002 Enivironmental protection act 1990 Manual Handling Operations Regulations



SYMBIO GRANULAR CHALK

SDS COMPLETED 20TH NOVEMBER 2015

VERSION 01 REVISION NUMBER: N/A

15.2 Chemical Safety Assessment

Not conducted for this product

16. Other information

16.1 Reference listings

TSCA ListingTSCA Inventory listed under CAS No. 1317-65-3 (Limestone)FDA List Number Calcium carbonate/Limestone is GRASDSL/NDSL Listing Limestone is exempt from the PDSL (naturally occurring substance)AICS ListingACOIN edition 92 listed under CAS No. 1317-65-3 (Limestone)MITI Number1-122-122

16.2	Abbreviations	
IMDG:		International Maritime Dangerous Goods
IATA:		International Air Transport Association
ADR/RII	D:	Agreement on the transport of dangerous goods by road/Regulations on the international transport
		of dangerous goods by rail
LD50		Lethal Dose where 50% of the test animals dies.

Disclaimer

The information in this SDS was obtained from sources which we believe to be reliable. Origin Amenity Solutions provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate handling of the product by properly trained and qualified personnel. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose.

Origin Amenity Solutions makes no warranties or guarantees either express or implied with respect to the information contained herein. The conditions or methods of handling, storage, use or disposal of the product are beyond our control, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product